

DEEP LEARNING BASED SENTIMENT ANALYSIS FOR RECOMMENDER SYSTEM

SHIVANAND SIDRAMAPPA RESEARCH SCHOOLAR DEPARTMENT OF COMPUTER SCIENCE OPJS UNIVERSITY, CHURU. (RAJ)

DR. RAJEEV YADAV ASSOCIATE PROFESSOR DEPARTMENT OF COMPUTER SCIENCE OPJS UNIVERSITY, CHURCH. (RAJ)

ABSTRACT

The investigation of the feelings of the general population can provide us with information that is of benefit to us. It has developed into a reliable tool for gaining insight into the ideas held by users of social networking sites such as Twitter and Facebook, and it may be applied in a broad range of contexts. The analysis of people's feelings expressed on social networks is one of these purposes. On the other hand, the challenges that are presented by natural language processing make it challenging to do sentiment analysis in a manner that is accurate while still being time and resource efficient (NLP). Deep learning models have emerged as a potential solution to the challenges faced by natural language processing in recent years. This has been demonstrated by a number of studies (NLP). The authors of this study, which is a review of current works, highlight how deep learning has been utilised to manage issues linked to sentiment analysis, such as sentiment polarity, in the work that they have produced. Several different datasets have been analysed with models that employ term frequency-inverse document frequency (TF-IDF) and word embedding. These analyses have been carried out with the intention of discovering patterns. In conclusion, a comparison evaluation of the experimental findings acquired for the various models and input characteristics has been carried out. These findings were compared and evaluated against one another. The proliferation of Internet access, the growing interest in personalization, and shifting patterns of behaviour among computer users have all contributed to the rise of recommender systems, which are effective tools for filtering information. In other words, the rise of recommender systems is a result of all three of these factors. Existing recommender systems are capable of producing quality recommendations; yet, despite the fact that this is one of their strengths, these systems still struggle with accuracy, scalability, and cold beginning.

keywords: Deep Learning, datasets , recommender systems

INTRODUCTION

As a consequence of the proliferation of new technologies and the quickening expansion of the internet, the world is moving in the direction of becoming an Eworld. The vast majority of physical items in this Eworld have been digitised and may be reached with the use of a computer mouse. The manner in which customers purchase for products and services is being increasingly influenced by e-commerce, and this development is forecasted to continue in the foreseeable future. Customers are making a growing number of purchases of items through the use of the internet. When a customer is considering making a purchase via the internet, they will first visit an online store in order to look for items that could catch their interest before making a purchase decision. These days, users may access a broad range of different apps for conducting business online through the use of the internet. Each and every application suffers from the same fatal defect, which is that it does not offer satisfactory levels of customer support. We have built a system that provides product suggestions in order to find a solution to this problem. The issue of recommendation systems is becoming an up-and-coming field of research within the sphere of e-commerce applications and online services. [Case in point:] [Case in point:] When you go shopping online, it is possible that it will take a significant amount of time for you to sift through all of the many items that are offered. By utilising a suggestion system, you can expedite the process of identifying a wide range of interesting products for your customers to purchase. This will allow you to better meet their needs. Every day, more and more people are making use of this powerful recommendation system. This is due to the fact that it is straightforward and trustworthy for a customer to acquire online and that they can easily uncover the ideal options for them without any issues. This is one of the reasons why more and more people are choosing to use this method.

Users and suppliers of services both stand to gain something positive from the use of recommender systems. Previous studies have demonstrated that recommendation engines benefit customers in making more well-informed decisions, lowering the amount of time spent searching, and obtaining the best available prices for their purchases. A product recommendation system is a piece of software that is designed to generate and provide suggestions for products or forms of content that a user in particular would be interested in purchasing or interacting with. The user's tastes and interests are taken into account wherever possible while formulating these suggestions. Product suggestion will perform an analysis of the things that already exist; more specifically, we will focus on fashion products and design a system that takes only a single input image and returns a ranked list of recommendations for items with a style that is comparable to the one the user provided.

OBJECTIVE

1. The fundamental challenge that recommender systems need to surmount is the task

of filtering and translating.

2. study on Deep neural networks are neural networks that include more than two layers and some of those levels are hidden

DEEP LEARNING

The "hidden" layers of a neural network can be accessed by employing a novel multilayer method that is supported by deep learning. Conventional approaches to machine learning include defining and extracting features in either of two ways: manually or with the aid of a variety of feature selection tools. Both of these approaches have their advantages and disadvantages. Deep learning models, on the other hand, are able to train themselves new features and then automatically extract those characteristics, which leads to an improvement in both accuracy and performance. In the vast majority of instances, automated measurements are furthermore carried out on the hyper parameters of classifier models. Traditional machine learning, which is also known as Support Vector Machines (SVMs), Bayesian networks, or decision trees, and deep learning each employ a different technique to categorise the polarity of a sentiment. Traditional machine learning is also known as Support Vector Machines (SVMs). The differences between the two approaches are presented graphically in Figure 1. Deep learning and artificial neural networks are now the most successful approaches for tackling a range of issues in the fields of natural language processing, photo and audio recognition, and other areas of processing natural data. These fields include: This section addresses a number of distinct methods to deep learning, including a wide range of pedagogical philosophies.




Figure 1. Comparison of machine learning (top) and deep learning (bottom) as two distinct categorization techniques to polarity in terms of sentiment (bottom).

Deep Neural Networks (DNN)

Deep neural networks are neural networks that include more than two layers and some of those levels are hidden. The term "deep" refers to the number of layers in the network (Figure 2). Deep neural networks, by virtue of the sophisticated mathematical models that they make use of, are able to perform the task of data processing in a variety of various ways. A neural network is an adjustable model of outputs as functions of inputs that consists of several layers: an input layer, which includes input data; hidden layers, which include processing nodes called neurons; and an output layer, which includes one or more neurons, whose outputs are the network outputs. These layers are organised as follows: an input layer, which includes input data; hidden layers, which include neurons; and an output layer, which includes one or more neurons. The outputs of the neural network may be considered the outcomes of the computations performed by the network.




Figure 2. Deep neural network (DNN)

RECOMMENDER SYSTEMS

The term "recommender system" (RS) refers to a type of information filtering system that takes into account a user's preferences—that is, their tastes, interests, and needs—in order to select those items (such as products, movies, music albums, people, etc.) that have the potential to be the most "relevant" for the user. These preferences can include a user's tastes, interests, and needs.

The majority of the time, they are utilised in predicaments in which the collection of accessible items is so extensive that it surpasses the capacity of the user to carry out a search. In other words, the user is unable to conduct a search due to the size of the collection. When a user is searching for specific items in such circumstances – either by browsing category taxonomies or by launching keyword-based queries – she is presented with a result list that may contain dozens or even hundreds of items to choose from. This occurs whether the user is searching for the items by browsing category taxonomies or by launching keyword-based queries. There are various instances in which the user has the choice to restrict the scope of her search. The next thing for the user to do is to look through each item on the list carefully and select the ones that are most interesting to her based on her preferences. As a result of this, there is a chance that she will choose to give up on the process since it takes her an excessive amount of time to locate relevant products that satisfy the information requirements she has set for herself.

This searching technique is designed to be carried out by recommender systems, or to be supported by recommender systems, in order to ensure that the items that the user is most likely to appreciate are positioned at the top of ranking lists. Consequently, the task at hand is to apply filters to the collection of items, and then sort them according to the preferences expressed by the user. The sorting can be done with any one of a number of different algorithms, each of which takes into consideration distinct signals of information regarding the users, the objects, and the context in which the user is now functioning.

There is a wide variety of business sectors around the globe that are significantly aided by the use of recommender systems. It is possible that the business sector that has profited the most from recommendation systems is the e-commerce industry. These solutions offer personalised recommendations of a wide range of things, including, to name just a few examples, books, music, electronic equipment, and clothing. Since it is highly likely that the customer would also enjoy these other products, the Amazon website makes recommendations to the customer based on other items that are comparable to the book that the customer has selected because these other items are similar to the book that the customer has selected. Recommendation systems are utilised in a wide variety of other sectors, some of which include online dating, hotel bookings, digital music, and on-demand video streaming, to name just a few examples. The past activities of the user are analysed by recommender systems so that predictions may be made about what the user will love the most in the here and now or in the future. It's possible that past users' choices were either overt or covert in nature.




Figure 3 Examples of Amazon website recommendations based on those items that are usually bought together with a selected book.

The term "explicit feedback" refers to the situation in which a user is specifically asked to provide a rating for something. It most frequently takes the form of a yes/no vote, such as the thumbs up/down on YouTube and the likes on Facebook; or a numerical rating, which is generally picked from among a valid range of stars, as seen on Amazon and Film Affinity.

The development of implicit feedback does not include the user's participation in any way; rather, it is deduced from the user's activities while they are utilising the system. For example, a user of a streaming service for digital music is more likely to dislike a song if she just listens to it for a few seconds before moving on to the next song in the playlist if she only listens to it for a few seconds before moving on to the next song in the playlist. On the other side, if the user listens to the music numerous times, she is more likely to rate it extremely highly and give it a very high rating. This is because she has become more familiar with the song. Because she likes a certain author and listens to several songs by that author, it is possible that she appreciates reading that particular author's work. Clicks, page views, real purchases, and overall amount of time spent are a few examples of sources of implicit feedback. Other examples include the amount of time spent.

Although the vast majority of previously published works have focused on explicit feedback, most likely because of the ease with which this kind of data can be utilised, research has shifted its attention in recent years to the analysis of implicit feedback, which is the most extensive in actual practice.

TYPES OF RECOMMENDER SYSTEMS

There are a variety of recommender systems, each of which employs a distinct collection of assumptions and bits of data to come at an estimate of the degree to which a certain item is relevant to the user who is being targeted as the recipient of the recommendation.

In particular, let us identify! as a user and! as an object, in which! has never expressed a preferred opinion on!; and let us imagine that a user's preferences are represented through the use of ratings, which can either be expressly supplied or inferred implicitly. In this way, we can say that! has never stated a preferred opinion on!. A system that produces recommendations has one basic goal, and that is to make an informed estimate as to the rating that a user would assign to an item based on the user's preferences. The process that was utilised to arrive at such a rating ultimately produced various types of proposals, which will now be addressed in more detail.

Methods for making recommendations based on content

In Content-Based (CB) recommender systems, users and items are represented by means of (content) features, and it is assumed that a user will give higher ratings to items that are similar to those she liked in the past. This is because users tend to like things that are similar to other things they have liked in the past. This is due to the fact that consumers have a tendency to appreciate things that are comparable to things that they have loved in the past.

Discrete and continuous attributes are the two categories that may be utilised in the process of defining users and things, respectively. Typical product attributes on an e-commerce website, for instance, include the item's size, colour, and price; typical product attributes on an on-demand TV and movie streaming service, for instance, include the film's director, actors, and run time; and typical series attributes, for instance, include the number of episodes in the show. [Case in point:] In addition, when the objects are registered into the system, the qualities may either be keyed in by hand or they can be inferred from the data that is input. Both of these options are available. For instance, one could be able to determine the colour of a product by looking at its photographs on the website of an online store.

In any case, the qualities of the item's content are frequently depicted in the form of a vector. Within that vector, each component has a weight that correlates to the relevance of the feature in question when attempting to define the item. The well-known TF-IDF score, also known as the term frequency-inverse document frequency score, is one of the methods that is used to

compute such weights. This method is also known as the phrase frequency-inverse document frequency score.

This feature-based vector representation is also employed for a user's profile, which is an important part of the process. In this instance, the weights are computed by adding up the weights that are associated with the goods that the users have indicated they enjoyed in the past. Combining the information included in the profiles of the various objects results in the creation of a user's profile. $i_k \in I_u$ rated by the user, weighted by the rating $r(u, i_k)$ the user assigned to them:

$$\mathbf{u} = \sum_{i_k \in I_u} r(u, i_k) \mathbf{i}_k$$

As an illustration, if a user has mostly rated action movies and has given them higher ratings than comedy movies, then the action component of that user's profile will have a bigger weight than the comedy component of that user's profile. Other examples include: This is due to the fact that most people like action movies to be more enjoyable. Applying a similarity metric to the vectors that represent! and the vectors that represent! allows for the determination of the predicted rating that a user would give to a newly unrated item. This is done in relation to the feature-based profile representations that were explained earlier.

$$\hat{r}(u, i) = \text{sim}(\mathbf{u}, \mathbf{i})$$

There are a number of different similarity metrics that may be utilised, the vast majority of which are based on vector distance measurements. The well-known cosine similarity is a measure that is frequently utilised in practise:

$$\cos(\mathbf{u}, \mathbf{i}) = \frac{\mathbf{u} \cdot \mathbf{i}}{|\mathbf{u}| |\mathbf{i}|}$$

The so-called content overspecialization problem is one of the primary downsides of content-based recommendation systems. This problem refers to the fact that the things that are suggested are too similar to one another and may not offer diversity and innovation. Furthermore, because the user's profile is computed based on the goods she has rated in the past, in order for the user to obtain tailored suggestions, she must first rate multiple items. This is referred to as the user cold-start problem, and it is something that the vast majority of recommendation algorithms have trouble with. Last but not least, users' preferences and interests might shift over time, which means that ratings that were supplied an extended period of time ago could not be useful for estimating fresh ratings.

Hybrid recommender systems

Both the CB and CF methods have their own unique set of challenges, which are complimentary to one another. Combining CB and CF strategies is an easy approach that may be used to circumvent some of these challenges. This type of system is referred to as a hybrid recommender system.

The development of hybrid recommenders can be accomplished through the application of a number of distinct strategies. Some of these strategies are detailed in the following paragraphs:

- Carrying out the CB and CF procedures one at a time and combining their respective forecasts, for example by the use of a weighted average.
- Including information about the content as features in the CF latent factors vectors.
- Taking into account the collaborative characteristics (based on ratings) of a content-based heuristic.

Hybrid recommenders have been proved to improve the performance over single types of recommendations, and thus most of the applications used in production consist of hybrid approaches, such as the well-known Netflix case.

DEEP LEARNING AND ARTIFICIAL NEURAL NETWORKS

Deep learning is a subset of the family of techniques known as machine learning. It is distinguished from task-specific algorithms by the fact that it learns data representations. Deep learning models make use of a series of multi-layered, non-linear processing units known as neurons. These neurons are able to automatically execute feature extraction and modification. An Artificial Neural Network is the name given to the network of artificial neurons. An Artificial Neural Network (ANN) is a type of computer model that is based on the way that information is processed by biological neural networks in the human brain. The neuron, often referred to as a node or unit, is the component of a neural network that does the lowest amount of processing. It computes an output based on the inputs that it gets from other neurons. Each of the node's inputs has a weight (w) associated with it, which indicates the relative significance of that input in comparison to the other inputs. The function f is applied to the weighted sum of inputs by the node, as seen in Figure 4:




Figure 4: Representation of neuron

The function f is non-linear and often referred to as Activation function. This function is useful to learn complex patterns in data.

CONCLUSION

This paper proposes a framework for performing sentiment analysis using a recommender system. It is constructed using several unique deep learning models. The recommended deep learning models were developed using both supervised and unsupervised learning methods. The DLSARS framework, which employs a dummy variable technique to apply sentiment analysis to the textual data of micro blogs, was proposed for use in assessment. This is achieved by using a multilayer perceptron model that incorporates a large learning component. This model may alternatively be seen as the logistic regression variant of a generalised linear model. Persuasive results are obtained when the DLSARS architecture is examined across several domains and with various data sets.

REFERENCE

- [1]. Qurat Tul Ain_, Mubashir Ali_, Amna Riazzy, Amna Noureenz, Muhammad Kamran, Babar Hayat_, and A. Rehman, "Sentiment Analysis Using Deep Learning Techniques: A Review " International Journal of Advanced Computer Science and Applications, 2017.
- [2]. Basiliyos Tilahun Betru, Charles Awono Onana, Bernabe Batchakui, Deep Learning Methods on Recommender System: A Survey of State-of-the-art ", International Journal of Computer Applications, 2017.
- [3]. Shuai Zhang, Lina Yao, Aixin Sun, "Deep Learning based Recommender System: A Survey and New Perspectives," ACM J. Comput. Cult. Herit., 2017.
- [4]. Mikolov, Tomas, et al. Distributed representations of words and phrases and their compositionality. Advances in neural information processing systems in 2013.
- [5]. Socher, Richard, et al. Parsing natural scenes and natural language with recursive neural networks. Proceedings of the 28th international conference on machine learning (ICML-2011).
- [6]. Socher, Richard, et al. Recursive deep models for semantic compositionality over a

sentiment treebank.

- [7]. Algorithm Fusing User-based , Item-based and Social Networks,” IEEE Int. Conf. Big Data (Big Data), pp. 2337– 2343, 2015
- [8]. T. Arsan, “Comparison of Collaborative Filtering Algorithms with Various Similarity Measures for Movie Recommendation,” Int. J. Comput. Sci. Eng. Appl., vol. 6,no. 3, pp. 1–20, 2016
- [9]. [20] B. A. O. F.O. Isinkaye, Y.O. Folajimi, “Recommendation systems : Principles , methods and evaluation,” Egypt. Informatics Journa, elsevier, pp. 261–273, 2015.
- [10]. Hasan, M.; Roy, F. An Item–Item Collaborative Filtering Recommender System Using Trust and Genre toAddress the Cold-Start Problem. Big Data Cogn. Comput.2019, 3, 39.
- [11]. Lashkari, Y.; Metral, M.; Maes, P. Collaborative interface agents. In Proceedings of the 12th National Conference on Artificial Intelligence, AAAI, Seattle, WA, USA, 31 July–4 August 1994; pp. 111–116
- [12]. Pirasteh, P.; Jung, J.J.; Hwang, D. Item-based collaborative filtering with attribute correlation: A case study on movie recommendation. In Asian Conference onIntelligent Information and Database Systems; Springer: Berlin/Heidelberg, Germany, 2014; pp. 245–252.
- [13]. Herlocker, J.L.; Konstan, J.A.; Riedl, J. Explaining collaborative filtering recommendations. In Proceedings ofthe 2000 ACM Conference on Computer Supported Cooperative Work; Association for Computing Machinery:New York, NY, USA, 2000; pp. 241–250.