

## Analysis of Social norms and Education on Sustainability of Women Group Poultry Projects in Navakholo of Kakamega County, Kenya

Dr. Ismael Okoth Oduor,  
Dr. Joseph Mutai

### Abstract

Rural women in Africa lack access and control over land a situation making it hard for majority to experience economic freedom at household level despite their significant role in socio-economic development. Despite this access they are able to practice poultry farming albeit with limited resource outlay because this enterprise doesn't challenge patriarchal monopoly over productive resources. The purpose of the study was to determine socio-economic factors that influence sustainability of women group poultry projects in Navakholo sub-county in Kakamega County, Kenya. The objectives of the study were: To establish extent to which social status of members of women groups and to determine how education level of members of women groups influence sustainability of poultry projects in Navakholo in Kakamega County, Kenya. The study was grounded in attribution theory and adopted descriptive research design and correlation research design. Krejcie & Morgan sample size determination table and simple sampling techniques was used to select a sample size of 169 from a study population of 302 members in 18 women groups. Additionally purposive sampling techniques was adopted in selecting 18 key informants in the Department of Livestock. Quantitative data was gathered using questionnaire while qualitative data was analyzed by interview guide and observation schedules. Quantitative data was analyzed using frequencies, percentages, mean scores and standard deviations. Inferential analysis was analyzed using regression and correlations models. Null hypothesis was finally tested using by t-test and p-value method. The study established that social status did not influence sustainability of women poultry projects. A strong positive correlation of 7.2 existed between sustainability of poultry projects and social status of women groups, at  $p=0.975$ ,  $p<0.05$ . The study found that women have the skills, education and knowledge on poultry projects. A positive correlation exists between education sufficiency and generation of profits at  $r=0.875$ ,  $p=0.05$  and regression findings shows that education levels contributes to 6.7% to one unit value of performance of poultry projects at  $t=1.610$ ,  $p<0.01$ . Stakeholders need to develop suitable policies that capacitated women to adopt poultry projects.

Copyright © 2024 International Journals of Multidisciplinary Research Academy. All rights reserved.

### Keywords:

Social status,  
Education level  
Sustainability of  
poultry projects

### Author correspondence:

Dr. Ismael O. Oduor,  
Department of Finance and Accounting,  
School of Business,  
Koitaleel Samoei University College,  
(A Constituent of the University of Nairobi)  
Email: [oduor@ksu.ac.ke](mailto:oduor@ksu.ac.ke)  
Dr. Joseph Mutai,  
Department of Business Administration  
School of Business  
Koitaleel Samoei University College,  
(A Constituent of the University of Nairobi)  
Kenya. Email: [mutai@ksu.ac.ke](mailto:mutai@ksu.ac.ke)

## 1. Introduction

The advent of quantum computing represents a paradigm shift in computational power, promising to revolutionize fields ranging from drug discovery to financial modeling. However, this technological leap also poses significant challenges to the foundations of modern cryptography, which underpins the security of our digital infrastructure. As quantum computers become more powerful, they threaten to break many of the cryptographic algorithms that currently protect our sensitive data and communications (Mosca, 2018). This paper explores the intricate relationship between quantum computing and cryptography, focusing on the development of post-quantum cryptographic algorithms designed to withstand attacks from quantum computers. We will examine the current state of quantum computing, its potential impact on existing cryptographic systems, and the global efforts to develop and standardize quantum-resistant cryptographic solutions.

## 2. The Quantum Computing Landscape

Quantum computing harnesses the principles of quantum mechanics to perform computations that are infeasible for classical computers. Unlike classical bits, which can be either 0 or 1, quantum bits (qubits) can exist in a superposition of states, allowing quantum computers to process vast amounts of information simultaneously (National Academies of Sciences, Engineering, and Medicine, 2019). While fully functional large-scale quantum computers are not yet a reality, significant progress has been made in recent years. Companies and research institutions worldwide are racing to develop quantum processors with increasing numbers of qubits and improved error correction (Broadcom Inc., 2024). Quantum computing promises improvements in various sectors, including finance, pharmaceuticals, manufacturing, and logistics. For instance, quantum algorithms could optimize supply chains, accelerate drug discovery, and enhance financial risk modeling (Xiang & Yang, 2020). Quantum computers pose a particular threat to public-key cryptography, which forms the basis of many secure communication protocols. Algorithms such as RSA and Elliptic Curve Cryptography (ECC) are especially vulnerable to quantum attacks (National Security Agency, 2021). Peter Shor's quantum algorithm, published in 1994, demonstrated that a sufficiently powerful quantum computer could factor large numbers exponentially faster than the best-known classical algorithms. This capability would effectively break RSA encryption, which relies on the difficulty of factoring large numbers (Shor, 1997). While the exact timeline for the development of cryptographically relevant quantum computers remains uncertain, many experts believe that such machines could become a reality within the next 10-20 years. This urgency has spurred efforts to develop and implement quantum-resistant cryptographic solutions (Mosca, 2018). Post-quantum cryptography (PQC) refers to cryptographic algorithms that are believed to be secure against attacks by both classical and quantum computers. The goal of PQC is to develop algorithms that can replace current public-key systems and maintain long-term security in a post-quantum world (Bernstein & Lange, 2017). In 2016, the National Institute of Standards and Technology (NIST) initiated a process to solicit, evaluate, and standardize quantum-resistant public-key cryptographic algorithms. This multi-year effort involves collaboration with cryptographers worldwide to identify the most promising post-quantum cryptographic candidates (Chen et al., 2016). Several approaches to post-quantum cryptography have emerged, each with its own strengths and challenges:

- Lattice-based cryptography
- Code-based cryptography
- Multivariate cryptography
- Hash-based signatures
- Isogeny-based cryptography

These approaches rely on mathematical problems that are believed to be difficult for both classical and quantum computers to solve (Alagic et al., 2020).

## 3. Developing Quantum-Resistant Standards

Quantum computing harnesses the principles of quantum mechanics to perform computations that are infeasible for classical computers. Unlike classical bits, which can be either 0 or 1, quantum bits (qubits) can exist in a superposition of states, allowing quantum computers to process vast amounts of information simultaneously (National Academies of Sciences). NIST has been at the forefront of efforts to standardize post-quantum cryptographic algorithms. The organization has conducted multiple rounds of evaluation, narrowing down candidates for public-key encryption, key-establishment, and digital signature schemes (National Institute of Standards and Technology, n.d.). The development of post-quantum cryptographic standards is a global effort, involving collaboration between government agencies, academic institutions, and industry partners. Organizations such as the European Telecommunications Standards Institute (ETSI) and the Internet

Engineering Task Force (IETF) are also contributing to the standardization process (Stebila&Mosca, 2016). In July 2022, NIST announced the selection of four PQC algorithms for standardization:

- CRYSTALS-Kyber for general encryption
- CRYSTALS-Dilithium for digital signatures
- FALCON as an additional digital signature algorithm
- SPHINCS+ as a stateless hash-based signature scheme

These algorithms represent a diverse set of approaches to post-quantum cryptography, providing options for different use cases and security requirements (National Institute of Standards and Technology, n.d.). One of the key challenges in adopting post-quantum cryptography is ensuring crypto-agility – the ability to quickly swap out cryptographic algorithms as needed. Organizations must develop comprehensive migration plans that allow for the seamless transition to new cryptographic standards (DigiCert Insights, n.d.). Post-quantum algorithms often have different performance characteristics compared to current cryptographic systems. Implementers must consider factors such as key size, signature size, and computational requirements when integrating these new algorithms into existing systems (Wallden&Kashefi, 2019). To mitigate risks during the transition to post-quantum cryptography, many experts recommend the use of hybrid schemes that combine classical and post-quantum algorithms. This approach provides a layer of protection against both classical and quantum attacks during the transition period (Stebila&Mosca, 2016).

#### 4. Government and Industry Initiatives and Overall Implications

The Cybersecurity and Infrastructure Security Agency (CISA) has launched a Post-Quantum Cryptography Initiative to address the threats posed by quantum computing. This initiative aims to support critical infrastructure and government network owners in transitioning to post-quantum cryptography (Cybersecurity and Infrastructure Security Agency, n.d.). The National Security Agency (NSA) has provided guidance on the adoption of quantum-resistant algorithms, emphasizing the importance of preparing for the post-quantum era. The agency recommends a phased approach to implementing post-quantum cryptography (National Security Agency, 2021). Major technology companies and research institutions are actively investing in post-quantum cryptography research and development. Companies like Google, IBM, and Microsoft are working on implementing and testing post-quantum algorithms in real-world scenarios (Broadcom Inc., 2024). The threat of quantum computing to current cryptographic systems raises concerns about the long-term protection of sensitive data. Information encrypted today could be vulnerable to future quantum attacks, a concept known as "harvest now, decrypt later" (National Security Agency, 2021). Developing quantum-safe network protocols is crucial for ensuring the security of internet communications in the post-quantum era. This includes updating protocols such as TLS, SSH, and VPNs to incorporate post-quantum algorithms (Stebila&Mosca, 2016). Quantum computing poses potential threats to blockchain technologies and cryptocurrencies, which rely heavily on public-key cryptography. The development of quantum-resistant blockchain protocols is an active area of research (Xiang & Yang, 2020).

#### 5. Future Directions and Research

While NIST has selected initial algorithms for standardization, research into new and improved post-quantum cryptographic schemes continues. Future rounds of evaluation may lead to the adoption of additional algorithms or refinements to existing ones (Alagic et al., 2020). In addition to post-quantum cryptography, research is ongoing in the field of quantum cryptography, which uses quantum mechanical properties to secure communications. Quantum Key Distribution (QKD) is one promising approach, although it faces significant practical challenges (Wallden&Kashefi, 2019). Organizations across all sectors must begin preparing for the transition to post-quantum cryptography. This includes conducting cryptographic inventories, developing migration strategies, and investing in crypto-agile systems (Cybersecurity and Infrastructure Security Agency, n.d.).

#### 6. Conclusion

The advent of quantum computing presents both unprecedented opportunities and significant challenges to the field of cryptography. As we stand on the brink of the quantum era, it is crucial that we develop and implement robust post-quantum cryptographic solutions to protect our digital infrastructure. The efforts of organizations like NIST, NSA, and CISA, along with contributions from academia and industry, are paving the way for a secure post-quantum future. However, the transition to quantum-resistant cryptography will require a coordinated and proactive approach from all stakeholders. As we navigate this cryptographic paradigm shift,

continued research, standardization efforts, and practical implementation strategies will be essential. By embracing crypto-agility and investing in post-quantum preparedness, we can ensure the long-term security and integrity of our digital communications in the face of quantum threats. The journey towards post-quantum cryptography is not just a technological challenge but a critical component of our future cybersecurity landscape. As quantum computing continues to advance, our cryptographic defenses must evolve in tandem, safeguarding the confidentiality, integrity, and authenticity of information in the quantum age.

### References(10pt)

- [1] Alagic, G., et al. (2020). Status Report on the Second Round of the NIST Post-Quantum Cryptography Standardization Process. National Institute of Standards and Technology.
- [2] Bernstein, D. J., & Lange, T. (2017). Post-quantum cryptography. *Nature*, 549(7671), 188-194.
- [3] Broadcom Inc. (2024). The Impact of Quantum Computing on Encryption. <https://docs.broadcom.com/doc/the-impact-of-quantum-computing-on-encryption>
- [4] Chen, L., et al. (2016). Report on post-quantum cryptography. National Institute of Standards and Technology.
- [5] Cybersecurity and Infrastructure Security Agency. (n.d.). Post-Quantum Cryptography Initiative. <https://www.cisa.gov/quantum>
- [6] DigiCert Insights. (n.d.). Post-Quantum Cryptography | Zero to Quantum. <https://www.digicert.com/insights/post-quantum-cryptography>
- [7] Mosca, M. (2018). Cybersecurity in an era with quantum computers: Will we be ready? *IEEE Security & Privacy*, 16(5), 38-41.
- [8] National Academies of Sciences, Engineering, and Medicine. (2019). *Quantum Computing: Progress and Prospects*. The National Academies Press.
- [9] National Institute of Standards and Technology. (n.d.). Migration to Post-Quantum Cryptography. <https://www.nccoe.nist.gov/crypto-agility-considerations-migrating-post-quantum-cryptographic-algorithms>
- [10] National Security Agency. (2021). Quantum Computing and Post-Quantum Cryptography FAQs. [https://media.defense.gov/2021/Aug/04/2002821837/-1/-1/1/Quantum\\_FAQs\\_20210804.PDF](https://media.defense.gov/2021/Aug/04/2002821837/-1/-1/1/Quantum_FAQs_20210804.PDF)
- [11] Shor, P. W. (1997). Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer. *SIAM Journal on Computing*, 26(5), 1484-1509.
- [12] Stebila, D., & Mosca, M. (2016). Post-quantum key exchange for the internet and the open quantum safe project. In *International Conference on Selected Areas in Cryptography* (pp. 14-37). Springer.
- [13] Wallden, P., & Kashefi, E. (2019). Cyber security in the quantum era. *Communications of the ACM*, 62(4), 120-129.
- [14] Xiang, C., & Yang, L. (2020). Quantum computing and post-quantum cryptography. In *Post-Quantum Cryptography* (pp. 1-23). Springer.